

# Keranil <sup>Cream</sup>

Salicylic Acid BP

## Composition:

**Keranil 6% Cream:** Each gram cream contains Salicylic Acid BP 60 mg.

**Keranil 12% Cream:** Each gram cream contains Salicylic Acid BP 120 mg.

## Description:

**Keranil** is available by prescription only as a topical aid in the removal of excessive keratin in hyperkeratotic skin disorders including verrucae and the various ichthyoses (vulgaris, sex-linked and lamellar), keratosis Palmaris and plantaris, keratosis pilaris, pityriasis rubra and psoriasis (including body, scalp, palms and soles).

## Indications and uses:

**Keranil** (6% Salicylic Acid) topical preparations treat the following common scaly conditions-

- Chronic atopic dermatitis
- Psoriasis
- Ichthyosis
- Lichen simplex
- Seborrhoeic dermatitis

**Keranil** (12% Salicylic Acid) topical preparations treat the following common scaly conditions-

- Warts (small excessive growths of skin caused by a type of virus. Warts often occur on the fingers or on the back of the hands).
- Verruca (occurs only on the sole of the feet and can be painful. It often looks like a small white ring of skin with a black dot in the centre).
- Corns and Calluses (are hard, thick pads of skin caused by pressure and friction. They usually occur on the feet due to poorly fitting shoes and can occur on the hands).

## Dosage and Administration:

Apply to affected area once daily. Hydrate area for 5 minutes prior to application if possible. Occlude the area at night. Wash off in morning. Salicylic Acid is used in children over 2 years.

## Side-effects:

An allergic reaction (shortness of breath, closing of the throat, swelling of the lips, face or tongue or hives) or severe skin irritation.

## Use in Pregnancy and Lactation:

**Pregnancy:** Pregnancy Category C.

**Lactation:** If used by nursing mothers, it should not be used on the chest area to avoid accidental contamination of the child.

## Precautions:

For external use only. Avoid contact with eyes and other mucous membranes.

## Contraindications:

It should not be used in any patient known to be sensitive to Salicylic Acid or any other listed ingredients.

## Overdosage:

An overdose of Salicylic Acid topical is unlikely to occur. If you do suspect an overdose or if the medication has been ingested, call a poison control center or emergency room for advice.

## Drug Interaction:

Do not use other topical preparations on the treated area unless otherwise directed by your healthcare provider. They may interfere with treatment or increase skin irritation.

## Presentation:

**Keranil 6% Cream:** Each tube contains 30 gm of 6% of Salicylic Acid BP Cream.

**Keranil 12% Cream:** Each tube contains 30 gm of 12% of Salicylic Acid BP Cream.



Manufactured by :

The IBN SINA Pharmaceutical Industry Ltd.  
Shafipur, Gazipur, Bangladesh.