

Neuralgin

Vitamin B1, B6 & B12

Composition:

Tablet: Each film coated tablet contains Thiamine Mononitrate USP 100 mg, Pyridoxine Hydrochloride BP 200 mg, Cyanocobalamin BP 200 mcg.

Injection: Each ampoule contains Thiamine Hydrochloride BP 100 mg, Pyridoxine Hydrochloride BP 100 mg, Cyanocobalamin BP 1 mg.

Description:

Neuralgin is a special preparation of vitamin B1, B6 & B12. The vitamins B1, B6 & B12 are essential for a normal course of the nervous metabolism. The efficacy of the combined vitamin B1, B6 & B12 contained in Neuralgin tablet & injection is superior to that of the individual vitamins alone. The effect of Neuralgin in diseases of the nervous system involves compensation of accompanying vitamin-B deficiencies and stimulation of natural healing processes in the nervous tissue.

Indication & uses:

Neuralgin is indicated for the treatment of vitamin B1, B6, & B12 deficiency syndrome. It is also indicated for the supportive treatment of neuritis & non-inflammatory diseases of the nerves, eg. Diabetic neuropathy, Peripheral neuralgia, Lumbago, Myalgia, Optic neuritis, Sciatica, Facial neuralgia, Intercostal neuralgia, Spinal pain.

Dosage & Administration:

Tablet: 1-3 Tablets per day or as advised by the physician.

Injection: In severe (acute) cases- 1 injection IM daily until the acute symptoms subside or taken as advised by the physician.

In mild cases -1 injection IM 2-3 times per week. Ampoules are preferably injected intramuscularly.

Side Effects:

Generally well tolerated. However, a few allergic reactions may be seen.

Precautions:

Cyanocobalamin should not be given before a diagnosis has been fully established because the possibility of masking symptoms of sub acute degeneration of the spinal cord.

Use in pregnancy & lactation:

Oral tablet form is recommended but due to presence of benzyl alcohol, injection is not recommended during pregnancy & lactation.

Contraindications:

Should not be used in the patients on Levodopa therapy and hypersensitivity to any of the active ingredients.

Drug Interactions:

No such drug interactions have been reported so far.

Overdosage : No overdosage symptoms are to be expected in the recommended dosage. If there is known overdose then treatment is symptomatic & supportive.

Presentation:

Tablet: Each box contains 6 blister strips of 10 tablets.

Injection: Each box contains 10 ampoules of 3 ml each.

Manufactured by:

The IBN SINA Pharmaceutical Industry Ltd.
Shafipur, Gazipur, Bangladesh.