# **UROCAP D**

## TAMSULOSIN HCL USP & DUTASTERIDE INN

## **Compositions:**

Each capsule contains Tamsulosin Hcl 0.4 mg and Dutasteride 0.5 mg.

### **Pharmacology:**

Combination of Tamsulosin Hydrochloride and Dutasteride improve symptoms in patients with Benign Prostatic Hyperplasia (BPH). Dutasteride, a dual 5 alpha-reductase inhibitor (5 ARI) and Tamsulosin Hydrochloride, an antagonist of alpha1 A-adrenoreceptors. Treatment of BPH with 5 ARIs and alpha1-adrenoreceptor blocking agents results in an improvement in urine flow rate and a reduction in symptoms of BPH.

## **Dosage And Administration:**

The recommended dose is one capsule approximately 30 minutes after meal daily.

### **Contraindications:**

• For women and children • Patients with known hypersensitivity to Dutasteride, other 5 alpha-reductase inhibitors, Tamsulosin Hydrochloride (including Tamsulosin induced angioedema) or to any ingredient in the formulation.

### Warning And Precaution:

• This drug is for use in men only. • Dutasteride is absorbed through the skin. Therefore, women who are pregnant or may be pregnant should not handle such capsules.

### Side Effects:

The most common (1-10%) side effects are-decreased sex drive, breast swelling or tenderness, dizziness.

## Use in Pregnancy and Lactation:

Not applicable.

## **Drug Interaction:**

There have been no drug interaction studies for Dutasteride-Tamsulosin combination.

## **Overdosage:**

No data is available with regard to over dosage of Tamsulosin-Dutesteroid combination.

#### Storage:

There have been no drug interaction studies for Dutasteride-Tamsulosin combination.

## Packing:

Urocap-D: Each box contains 3x10 capsules in Alu-Alu blister pack.

Manufactured By: The IBN SINA Pharmaceutical Industry PLC. Shafipur, Gazipur, Bangladesh.