

UROCAP D

TAMSULOSIN HCL USP & DUTASTERIDE INN

Compositions:

Each capsule contains Tamsulosin Hcl 0.4 mg and Dutasteride 0.5 mg.

Pharmacology:

Combination of Tamsulosin Hydrochloride and Dutasteride improve symptoms in patients with Benign Prostatic Hyperplasia (BPH). Dutasteride, a dual 5 alpha-reductase inhibitor (5 ARI) and Tamsulosin Hydrochloride, an antagonist of alpha1 A-adrenoreceptors. Treatment of BPH with 5 ARIs and alpha1-adrenoreceptor blocking agents results in an improvement in urine flow rate and a reduction in symptoms of BPH.

Dosage And Administration:

The recommended dose is one capsule approximately 30 minutes after meal daily.

Contraindications:

- For women and children
- Patients with known hypersensitivity to Dutasteride, other 5 alpha-reductase inhibitors, Tamsulosin Hydrochloride (including Tamsulosin induced angioedema) or to any ingredient in the formulation.

Warning And Precaution:

- This drug is for use in men only.
- Dutasteride is absorbed through the skin. Therefore, women who are pregnant or may be pregnant should not handle such capsules.

Side Effects:

The most common (1-10%) side effects are-decreased sex drive, breast swelling or tenderness, dizziness.

Use in Pregnancy and Lactation:

Not applicable.

Drug Interaction:

There have been no drug interaction studies for Dutasteride-Tamsulosin combination.

Overdosage:

No data is available with regard to over dosage of Tamsulosin-Dutesteroid combination.

Storage:

There have been no drug interaction studies for Dutasteride-Tamsulosin combination.

Packing:

Urocap-D: Each box contains 3x10 capsules in Alu-Alu blister pack.

Manufactured By:

The IBN SINA Pharmaceutical Industry PLC.

Shafipur, Gazipur, Bangladesh.