

HEMOCAL

CALCIUM DOBESILATE

Compositions:

Each capsule contains Calcium Dobesilate Monohydrate BP equivalent to Calcium Dobesilate 500 mg.

Pharmacology:

Calcium Dobesilate is a vasoactive drug that presumes effects on endothelial integrity, capillary permeability and blood viscosity. It decreases capillary hyperpermeability, decreases platelet aggregation (clotting - adhesion of platelets) and reduces the serum viscosity, which improves blood circulation and blood supply to tissues and organs.

Dosage And Administration:

One capsule once or twice daily should be taken with the main meal. Treatment duration, which generally between a few weeks to several months, depends on the disease and its evolution. Dosage should be adapted individually according to the severity of the disease.

Contraindications:

Known hypersensitivity to Calcium Dobesilate or any of the ingredients in the Hemocal capsule.

Warning And Precaution:

Dosage should be reduced in case of severe renal insufficiency requiring dialysis. In patient with agranulocytosis, this medication can decrease the number of white blood cells which affect the body's ability to fight against various infections. If patients experience flu-like symptoms such as cough, sore throat, fever and others, they are advised to seek medical care as soon as possible.

Side Effects:

Rarely gastrointestinal disorders including nausea and diarrhea, skin reactions, fever, articular pain and in very rare cases agranulocytosis have been reported. These reactions are generally spontaneously reversible after treatment withdrawal.

Use in Pregnancy and Lactation:

The safety of Calcium Dobesilate during pregnancy and lactation has not been established. As it is not known whether calcium dobesilate crosses the placental barrier in humans, the drug should be administered during pregnancy only if the benefit to the mother outweighs the potential risk to the fetus. Avoid breastfeeding while using this medicine.

Drug Interaction:

No data available

Overdosage:

The clinical signs of a possible overdose are not known. If overdose occurs, seek medical advice immediately.

Storage:

Store in a cool (below 30° C) and dry place, away from light. Keep out of the reach of children.

Packing:

Hemocal Capsule: Each box contains 3 x 10 capsules in Alu-Alu blister pack.

Manufactured By:
The IBN SINA Pharmaceutical Industry PLC.
Shafipur, Gazipur, Bangladesh.